


Shop Supplies Catalog









Tank Service, Inc. 1801 Decker Drive Baytown, TX 77520 USA

Phone: +1 (281) 542.5600 Fax: +1 (281) 542.7977

Web store: www.PeroloUSA.net

Contact Email: partsdepartment@TankService.com





Flap Disks

Flap Disks are great for grinding, smoothing, blending, deburring, texturing and finishing. You can use the chart as a guide to choose what type of disk you need for the job.

Application	Grinding, Smoothing, and Blending																							
	Deburring																							
		Cleaning, Texturing, and Finishing																						
																						Polis	shing	
Finish	Rough											Smooth							Extra Smooth				Polished	
Abrasive Grain Size	8	10	12	14	16	20	24	30	36	46	54	60	80	100	120	150	180	220	240	280	320	400	600	
Nylon Mesh Grade	Coarse						Medium							Fine					Very Fine					

4.5" X 5/8"-11 FLAP DISC - 36 GRIT



SP-FP450X063-BRN-G36

4.5" X 5/8"-11 FLAP DISC - 36 GRIT - TYPE T29



SP-FP450X063-BRN-G36-T29

4.5" X 5/8"-11 FLAP DISC - 40 GRIT



SP-FP450X063-BRN-G40

4.5" X 5/8"-11 SLIP ON FLAP DISC - 40 GRIT - TYPE 27-ZIRCOTEX PRODUCT



SP-FP450X063-BRN-G40-SL/08

4.5" X 5/8"-11 FLAP DISC - 40 GRIT - TYPE 29- ZIRCOTEX PRODUCT



SP-FP450X063-BRN-G40/08

4.5" X 5/8"-11 FLAP DISC - 60 GRIT



SP-FP450X063-BRN-G60



Flap Disks

7" X 5/8"-11 FLAP DISC - 60 GRIT



SP-FP700X063-BRN-G60

7" X 5/8"-11 FLAP DISC - 36 GRIT



SP-FP700X063-BRN-G36

7" X 5/8"-11 FLAP DISC - 40 GRIT



SP-FP700X063-BRN-G40

7" X 5/8"-11 FLAP DISC - 40 GRIT - 3M PRODUCT



SP-FP700X063-BRN-G40/07

7" X 5/8"-11 FLAP DISC - 40 GRIT - ZIRCOTEX PRODUCT



SP-FP700X063-BRN-G40/08



Cut Off Wheel

Application: Quickie cut reinforced cut-off

wheel.

Description: Rigid wheel design for fast cutting

and longer life.

Suitable For: Recommended for ferrous metals:

angle iron, iron/steel bar, metal decking & cable, pipe line, stainless steel sheets, stainless steel bars.

May be used for high tensile steel & non-ferrous metals: aluminum alloys, copper, brass, bronze,

titanium

4.5" X 7/8" CUT OFF WHEEL - 0.045" THICK



SP-CW450X088-005-ZA

6" X 7/8" CUT OFF WHEEL - 0.040" THICK



SP-CW600X088-004-ZA

6" X 7/8" CUT OFF WHEEL - 0.045" THICK



SP-CW600X088-005-ZA

Phone: (281) 542-5600 7 www.PeroloUSA.net



Fibre Disc

7" X 7/8" BROWN FIBRE DISC – 36 GRIT - 3M PRODUCT



SP-FD700X088-BRN-G36/07

Choose the performance level that fits your needs with a complete offering of $3M^{TM}$ Fibre Discs.

Get great performance at a great price with 3M's general purpose aluminum oxide metalworking discs. Or, set a new standard for productivity with 3M[™] Cubitron[™] II fibre discs.

7" X 7/8" BROWN FIBRE DISC - 60 GRIT - 3M PRODUCT



SP-FD700X088-BRN-G60/07

7" X 7/8" BROWN FIBRE DISC – 80 GRIT - 3M PRODUCT



SP-FD700X088-BRN-G80/07

Phone: (281) 542-5600 8 www.PeroloUSA.net



Grinding Disc

Application: Soft N-grade bond for fast stock removal. **Description:** Excellent ratio of stock removal/wheel loss.

Comments: For working on flat grinding surfaces. Most efficient when used

between 0° – 15° angle. The best choice for smooth finishing.

Suitable For: Metal and low-grade stainless steel.

4.5" X 5/8"-11 GRINDING WHEEL - 24 GRIT - 1/4" THICK



SP-GW450X063-025-G24

4.5" X 7/8"-9 GRINDING WHEEL - 24 GRIT - 1/4" THICK - ZIRCOTEX PRODUCT



SP-GW450X088-025-G24/08

Phone: (281) 542-5600 9 www.PeroloUSA.net



Hook & Loop

3M[™] Hook and Loop Disc Pad Holder is designed for metalworking projects and LGB discs. The disc pad holder provides firm support so that heavy-duty and super-duty LGB discs can weld grind and blend with faster and more efficient productivity. 3M[™] Disc Pad Holders allow you to quickly and easily change abrasive discs during multi-step projects.

- Hook and loop attachment system offers quick change of abrasive discs for multi-step processing
- Use with rotary sanders, right angle grinders and disc sanders
- Options available for right angle grinders and random orbital sanders
- Extra hard disc provides firm support
- Disc pad holder operates at a maximum 8500 RPM

4.5" X 5/8" HOOK AND LOOP DISC BACKUP PAD - 3M PRODUCT



SP-HL450X062-BLK-PAD/07

4.5" MAROON HOOK AND LOOP SANDING DISC - MEDIUM ALUMINUM OXIDE - 3M PRODUCT



SP-HL450X000-MRN-MDA/07

7" X 5/8" RED HOOK AND LOOP DISC BACKUP PAD - 3M PRODUCT



SP-HL700X062-RED-PAD/07

Phone: (281) 542-5600

7" MAROON HOOK AND LOOP SANDING DISC - MEDIUM ALUMINUM OXIDE - 3M PRODUCT



SP-FP700X063-BRN-G40/08

www.PeroloUSA.net

10



Hook & Loop

A good starting point for many different light-duty applications, our Standard Abrasives™ Buff and Blend Hook and Loop GP Disc is a versatile non-woven abrasive disc designed to lightly blend, clean, deburr and finish a variety of metals. We added a hook and loop style backing for use with a hook and loop holder pad (sold separately) on a random orbital sander.

- Moderately aggressive material offers great versatility and may be used for a variety of light-duty industrial applications, including light oxidation removal, blending of minor surface imperfections, surface cleaning prior to coatings, removal of small burrs, and basic equipment cleanup
- Designed for less aggressive use compared with HP material in the Standard Abrasives™ Buff and Blend line
- Hook and loop style attachment for random orbital sanding systems
- Multi-purpose abrasive discs work well on most metals
- Tough, pliable nylon web cleans and deburrs while leaving a professional finish
- Open web is load resistant, limiting buildup of debris that can clog the abrasive
- Available in medium (MED) and very fine (VFN) grade aluminum oxide mineral

7" BROWN HOOK AND LOOP SANDING DISC - COARSE ALUMINUM OXIDE - 3M



SP-HL700X000-BRN-CRA/07

7" GREEN/BLUE HOOK AND LOOP SANDING DISC - VERY FINE ALUMINUM OXIDE - 3M PRODUCT



SP-HL700X000-GBL-VFA/07

7" X 7/8" SCOTCH-BRITE LIGHT GRIND & BLEND DISC - COURSE CERAMIC - 3M



SP-HL700X088-BLU-CRC/07

Phone: (281) 542-5600

7" PURPLE HOOK AND LOOP LIGHT GRINDING DISC - COARSE - 3M PRODUCT



SP-HL700X088-PRL-CRS/07

www.PeroloUSA.net



General Purpose Pad

6" X 9" GENERAL PURPOSE PAD BROWN RECTANGULAR



SP-RT900X600-BRN-GNP

6" X 9" SCOTCH BRITE BROWN RECTANGULAR GENERAL PURPOSE PAD -3M PRODUCT



6" X 9" SCOTCH BRITE GREEN RECTANGULAR GENERAL PURPOSE PAD -3M PRODUCT



SP-RT900X600-BRN-GNP/07

SP-RT900X600-GRN-GNP/07

Phone: (281) 542-5600 12 www.PeroloUSA.net



Paint Brushes

2" PAINT BRUSH



SP-PNT-BR200



Phone: (281) 542-5600 13 www.PeroloUSA.net



Paint Roller Cover

4" MINI PAINT ROLLER COVER - PER PACK



SP-PNT-MC400

4" PAINT ROLLER COVER



SP-PNT-CV400

3" PAINT ROLLER COVER



SP-PNT-CV300

9" PAINT ROLLER COVER



SP-PNT-CV900

Phone: (281) 542-5600 14 www.PeroloUSA.net



Paint Roller Frame

3" PAINT ROLLER FRAME



SP-PNT-FR300



SP-PNT-MF400

4" MINI PAINT ROLLER FRAME

Phone: (281) 542-5600 15 www.PeroloUSA.net



Silicon Caulk

SILICONE CAULK - WHITE



SP-CLK-SWHT

SILICONE CAULK - GRAY



SP-CLK-SGRY

SILICONE CAULK - CLEAR



SP-CLK-SCLR

SILICONE CAULK - BLACK



SP-CLK-SBLK

www.PeroloUSA.net



Drill Bits

Cobalt steel bits are better than high-speed steel for drilling very hard materials such as stainless steel, titanium alloys, and nickel alloys.





Phone: (281) 542-5600 17 www.PeroloUSA.net



Drill Bits

Cobalt steel bits are better than high-speed steel for drilling very hard materials such as stainless steel, titanium alloys, and nickel alloys.







Decal Remover

DECAL PAINT STRIPPER -PER CAN



SP-DCL-STRP

Crown[®] Tuff-Strip[®] Heavy-Duty Sprayable Stripper

Crown® Tuff-Strip Aerosol combines our ultimate-strength paint stripper with the convenience of a sprayable product. With its special extra-strength formula, it quickly and easily cuts through multiple-layers of finishes such as latex and oilbased paints, varnishes, polyurethane and epoxy. Excellent for both indoor and outdoor applications.

Stanley 11-515 1-1/2-Inch Single Edge Razor Blades (100-Pack)

- Steel backed high carbon steel blade fits all standard razor blade tools
- Stanley Black & Decker
- Limited Lifetime Warranty
- Replacement blades for Stanley® 28-100 and 28-500 scrapers

#9 SINGLE EDGE RAZOR BLADES - 100PK - PER PACK



SP-RBL-9SE2



Lubricants

ANTI-SEIZE JET LUBE 550 FOR FASTENERS - PER



SP-LBR-JT55

550® Molybdenum Disulphide Anti-Seize Compound

550 contains carefully balanced proportions of molybdenum disulphide (MoS2), graphite, and low friction fillers in an aluminum complex base grease that is fortified with effective rust and corrosion inhibitors. 550 assures protection against rust, oxidation and corrosion. It will not harden, evaporate, or settle out; and it requires no thinning. 550 is the ideal product for petrochemical plants' maintenance needs.

Certifications: Mil Spec - MIL-PRF-907E

Applications: Threads, Flange Faces, Keyways, Gaskets. Slides, Guides and Fittings

NOTE: Not for use with oxygen lines.

Molykote® 111 Valve Lubricant & Sealant

Primary Use – General purpose O-ring and valve lubricant.

Special Characteristics – Provides a noncuring moisture barrier; high dielectric strength; moisture and ozone resistance; good thermal, oxidation and chemical stability; suitable for use with potable water under NSF 61.

Physical Form – Heavy-consistency, translucent white, grease-like silicone paste.

Applications – Lubricating plug, sanitary, gate, ball, butterfly and automated valves, pump packings, rubber and plastic O-rings; sealing vacuum and pressure systems (especially equipment subjected to washing and harsh environments): damping medium for dash pots in electrical equipment.

Phone: (281) 542-5600

MOLYKOTE LUBRICANT



SP-LBR-MLYK



Lubricants

PB BLASTER



PBX-BLST

PB B'LASTER PENETRANT

The #1-selling penetrant since 1957, PB B'laster quickly busts loose rusted or frozen parts caused by rust and corrosion. It also contains a non-evaporating lubricant that saves time and equipment and protects against further rust and corrosion.

Features

- •#1-Selling Penetrant
- Breaks Free Rusted or Frozen Parts
- •Protects Against Further Rust and Corrosion
- •Use on Automotive, Industrial, Marine, Plumbing & Other Equipment.

CRC BRAKLEEN® BRAKE PARTS CLEANER

The original brake parts cleaner

- Formulated to quickly & effectively remove grease, brake dust, brake fluids, oils, & other contaminants from brake parts, lining, pads
- · Cannot be sold for use in CA or NJ
- Non-flammable
- This item is not for sale in Catalina Island.

BRAKE CLEANER (19 OZ)



SP-BRK-CLNR



Primers

COLD GALVANIZING PRIMER SPRAY



SP-PRM-SGLV

Zinc-It® Instant Cold Galvanize

High-performance coating of >93% pure zinc that electrochemically bonds with ferrous metals to form a galvanic cell. It actively fights rust and corrosion. Use as a touch-up for damaged galvanized coatings. Dries quickly. Outdoor protection: 1 - 2 years.

Applications:

On threads, exposed edges, fasteners, conduit, strapping, welds, fencing, railings, grates, electrical poles, breaker panel housings, rain spouts, signs, doors, trailers, waste containers, catwalks, and guard rails.

Rust-Oleum® Filler Primer

Rust-Oleum® Filler Primer is a hi-build formula that fills in minor imperfections in the surface and improves top coat adhesion and appearance. For use on metal, wood and fiberglass surfaces.

Hi-build formula

Fills in imperfections

Stops Rust formula

Any-Angle Spray with Comfort Tip

GRAY PRIMER SPRAY



SP-PRM-SGRY

Phone: (281) 542-5600 22 www.PeroloUSA.net



Pipe Sealants

PLS-2 PIPE THREAD SEALANT



SP-SLT-PLS2

PLS® 2 Premium Thread & Gasket Sealer

Lead-free, non-hardening, non-toxic, opaque gray paste.

Adheres readily to iron, stainless steel, aluminum, monel, plastics and synthetic rubber compounds.

For use with dilute acids, aliphatic solvents, ammonia, dilute caustic alkali, diesel fuel, gasoline, kerosene, jet fuel, LPG, natural gas, petroleum solvents, heating oils, butane, hydraulic oils, mineral oils, refrigerants and steam.

S'MOOTH™ Thread Sealant w/ PTFE

S'MOOTH™ is a general-purpose metal pipe thread sealant for industrial and residential use. This white paste has a smooth consistency and no grit.

Applications: Pipe thread sealant for 1/2" to 2" NPT metal piping. For systems carrying potable water, steam, compressed air, natural gas, sprinkler systems, gasoline, diesel fuel, kerosene, heating oil, propane, anti-freeze solutions, refrigeration gases, dilute acids, caustics, and many other common chemicals. Use for repair and maintenance in many industries including marine, automotive, plumbing, pool and spa, food service, agricultural, institutional, municipal, and utilities.

PTFE LIQUID PIPE THREAD SEALANT



SP-SLT-TFWP

Phone: (281) 542-5600 23 www.PeroloUSA.net



PTFE Tape

POLY-TEMP® Low Density PTFE thread seal tape

More economically suited for some markets, Low Density PTFE thread seal tape compliments our line of premium Poly-Temp® tapes. Still made with virgin PTFE (Polytetrafluoroethylene), this tape remains flexible, is a thread sealant for all services, chemically inert, non-hardening, and withstands temperature ranges between -400° to 500°F (-240° to 260°C). It is compatible with all pipe materials without exception, forms a permanent seal for the life of the connection, and is recommended for all pipe sizes (larger thread sizes require more wraps). Meets MIL-T-27730A Poly-Temp® Thread Seal Tapes are 100% PTFE from the highest quality resins available. This universal thread sealant can be used on all types of metal or plastic pipe connections and effectively seal a vast array of chemicals.

INERTEX® UHF MAX TAPE High Density PTFE Tread Seal Tape

100% expanded virgin PTFE • FDA suitable (FDA 21 CRF 177.1550)

1/2" TEFLON TAPE - PER ROLL



SP-TFT-S050

3/4" TEFLON TAPE - PER ROLL



SP-TFT-S075

3/4" HIGH DENSITY TEFLON TAPE - PER ROLL

1/2" HIGH DENSITY TEFLON TAPE - PER ROLL



SP-TFT-H050



SP-TFT-H075

Phone: (281) 542-5600 24 www.PeroloUSA.net



Adhesive Tape

48MM X 55M MASKING TAPE - PER ROLL



SP-TPE-M200

48MM X 55M MASKING TAPE - PER ROLL



SP-TPE-M200

2" BLUE PAINTER'S TAPE



SP-PNT-BT200

Phone: (281) 542-5600 25 www.PeroloUSA.net



Adhesive Spray

ADHESIVE SPRAY

SP-ADH-SPRY-07



Spray Bottle



PLASTIC SPRAY BOTTLE

SP-SPY-BTL1



CLEAR SAFETY GLASSES



SP-SGL-CLRS

EAR PLUGS - CORDED - PER BOX (100 PAIRS PER BOX)



SP-PLG-ERCL

DUST MASK – per box (100 pieces)



SP-MSK-DUST

Phone: (281) 542-5600 27 www.PeroloUSA.net



WELDING GLOVES



SP-GLV-WMLG

LEATHER WORK GLOVE - LARGE - PER PAIR



SP-GLV-LTLG

LEATHER WORK GLOVE - X- LARGE - PER PAIR



SP-GLV-LTXL

Phone: (281) 542-5600 28 www.PeroloUSA.net



Gloveworks® HD Black Nitrile Industrial Latex Free Disposable

AMMEX Gloveworks HD Nitrile Powder Free Industrial Gloves are the perfect blend of power and control.

The raised diamond texture channels away liquid for more gripping power. Durable, resistant to punctures and rips. 6-mil thickness means excellent chemical resistance.

Latex-free. M-XXL, 100 gloves per box, 10 boxes per case



SP-GLV-HDBK



Gloveworks® HD Orange Nitrile Industrial Latex Free Disposable



SP-GLV-HDGR

SP-GLV-HDOR

Phone: (281) 542-5600 29 www.PeroloUSA.net



AMMEX Nitrile Dipped Nylon Work Gloves



Nylon gloves are woven to be breathable and stretch to maintain the right fit.

Nitrile has excellent abrasion and puncture resistance.

SP-GLV-NDGY

GLOVEWORKS® TEXTURED BLACK NITRILE GLOVES





GLOVEWORKS® TEXTURED BLUE NITRILE GLOVES





SP-GLV-GTBK

SP-GLV-GTBL

Phone: (281) 542-5600 30 www.PeroloUSA.net



6" X 30' BLACK ANTI-SLIP TAPE - PER ROLL

30 ft. x 6" Polyurethane Anti-Slip Tape, Black

Pressure-sensitive adhesive-backed Flex-Tred® tape sticks to virtually any smooth, dry surface. Cut to length and use only what you need.



SP-AST-B630

AMMEX Disposable Shoe Cover

(Case of 300) - Size: Uni



SP-SCV-STBL

SHOE COVERS - WHITE - PER PAIR



SP-SCV-STWT



3M HALF MASK RESPIRATOR - 2600 MEDIUM



SP-MSK-H62M/07

DUST MASK FILTERS



SP-MSK-FP95/07